

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE 10/801,309 03/16/2004		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
		William E. Italia	GP-304136 (2760/144)	
759 General Motors C		EXAMINER		
Legal Staff, Mail Code 482-C23-B21			HOLLIDAY, JAIME MICHELE	
300 Renaissance P.O. Box 300	Center		ART UNIT	PAPER NUMBER
Detroit, MI 48265	5-3000	2617		
SHORTENED STATUTORY PERIOD OF RESPONSE		MAIL DATE	DELIVERY MODE	
3 MONTHS		01/18/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

			Application No.	Applicant(s)				
Office Action Summary		10/801,309	ITALIA ET AL					
		Examiner	Art Unit					
			Jaime M. Holliday	2617				
Period fo	The MAILING DATE of this commun or Reply	ication appe	ears on the cover sheet	with the correspondenc	e address			
WHIC - External after - If NC - Failu Any	ORTENED STATUTORY PERIOD F CHEVER IS LONGER, FROM THE M asions of time may be available under the provisions SIX (6) MONTHS from the mailing date of this comm period for reply is specified above, the maximum state to reply within the set or extended period for reply reply received by the Office later than three months a ded patent term adjustment. See 37 CFR 1.704(b).	IAILING DA of 37 CFR 1.136 nunication. atutory period will will, by statute, of	TE OF THIS COMMU 5(a). In no event, however, may Il apply and will expire SIX (6) No cause the application to become	NICATION. a reply be timely filed ONTHS from the mailing date of the ABANDONED (35 U.S.C. § 133)	this communication.			
Status	·			•				
1)	Responsive to communication(s) file	ed on 18 Se	otember 2006					
2a)□			action is non-final.					
′=								
-,	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims	•						
4)⊠	4)⊠ Claim(s) <u>1-20</u> is/are pending in the application.							
	4a) Of the above claim(s) is/are withdrawn from consideration.							
	Claim(s) is/are allowed.							
· · · · · · · · · · · · · · · · · · ·	Claim(s)is/are allowed. Claim(s) <u>1-20</u> is/are rejected.							
7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.								
	on Papers	,	orden orden orden		•			
· · · ·	•							
•	The specification is objected to by the			– .	•			
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.								
	Applicant may not request that any object							
11)	Replacement drawing sheet(s) including The oath or declaration is objected to		•					
Priority ι	inder 35 U.S.C. § 119				,			
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).								
	a) All b) Some * c) None of:							
-/1	 Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No 							
	3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.								
* See the attached detailed Office action for a list of the certified copies not received.								
Attachmen	t(s)			•				
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)								
2) 🔲 Notic	e of Draftsperson's Patent Drawing Review (P	PTO-948)	Paper N	lo(s)/Mail Date				
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 5) Notice of Informal Patent Application 6) Other:								
Paper No(s)/Mail Date 6)								

. **T**

Response to Arguments

1. Applicant's arguments filed September 18, 2006 have been fully considered but they are not persuasive.

Applicants basically argue that Howe fails to teach "...assigning the MDN [mobile dialing number]...to the MCD [mobile communication device]..." In view of the previous argument, Examiner respectfully disagrees. Howe teaches a data unit (51) connected to a mobile terminal (MCD) (col. 4 lines 9-18). The VLR associates allocated TLDN with the data unit (51), and the MIN is passed with the response to a routing request. The serving switch connects call to data unit (col. 4 lines 62-67). The serving switch has a TLDN and the data unit has a TLDN whose structure is NPA-NXXX. The mobile terminal is associated with the MIN of the data unit ("...assigning the MDN [mobile dialing number]...to the MCD [mobile communication device]...").

Therefore, in view of the response, Examiner maintains previous rejections.

Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the first paragraph of 35 U.S.C. 112:
 - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 3. Claims 16-20 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to

Application/Control Number: 10/801,309

Art Unit: 2617

which it pertains, or with which it is most nearly connected, to make and/or use the invention. Claims 16-20 recite "a computer readable medium," however, the specification fails to disclose what a computer readable medium may consist of.

- 4. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 5. Claims 11-15 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 6. Claims 11-15 use means plus function language. However, it is evident by claim 16 that the invention is a computer program, and the specification does not disclose the structure of each element that performs each function.

Claim Rejections - 35 USC § 101

7. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claims 1-10 and 16-20 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

Claims 16-20 recite a "computer readable medium storing a computer program," however, the specification fails to disclose what a computer readable medium is.

Claims 1-10 is directed toward a method of a computer program, as evidence by claim 16.

Claim Rejections - 35 USC § 102

- 8. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 9. Claims 1-5 and 7-20 are rejected under 35 U.S.C. 102(e) as being anticipated by Howe (U.S. Patent # 6,615,381 B1).

Consider claim 1, Howe clearly shows and discloses a system for optimizing the routing of a call originated from a land-based terminal 43 to a wireless mobile terminal 47, reading on the claimed "wireless mobile communication device," utilizing the interaction between a server controlled Internet protocol network and the home location register (HLR) 53 of the mobile terminal. In response to a call request by the server, the HLR identifies the visited location register (VLR) 57 in contact with the mobile terminal and obtains a temporary local directory number (TLDN) of the local serving switch in contact with a mobile data unit connected to the mobile terminal. The server uses the TLDN to reach a data unit on the network, which is used to place a local call over the public switched telephone network (PSTN) to the serving switch, reading on the claimed, "method for assigning a mobile dialing number (MDN) to a wireless

mobile communication device (MCD) for providing local call access to the MCD from a base address for the MCD," (abstract), the method comprising:

searching the internal database of the HLR to determine the VLR last in contact with the mobile terminal, reading on the claimed "selecting a wireless rate center encompassing the base address and having an MDN providing local call access to the MCD from the base address for the MCD," (column 3 lines 37-39); and

sending a routing request from the HLR to the VLR, and the VLR determining that a call is deliverable and allocating a TLDN from a pool of numbers whose geographic base is the serving switch **63** in communication with the mobile terminal, reading on the claimed "assigning the MDN providing local calling access to the MCD from the base address for the MCD, in the selected wireless rate center encompassing the base address, to the MCD," (column 4 lines 28-33).

Consider claim 2, and as applied to claim 1 above, Howe further discloses the home mobile switch 19 passes the TLDN on to a second public switch telephone network/inter-exchange carrier switches (PSTN/IXC) 37 for delivery to the serving switch associated with the VLR where the mobile unit is located. The VLR associates the TLDN allocated with the mobile data unit and passes the information back to the serving switch, reading on the claimed "activating the assigned MDN," (column 3 lines 9-15).

Consider claim 3, and as applied to claim 2 above, Howe further discloses the TLDN is returned to the HLR in to response to the routing request, then is forwarded to the network server as a response to a location request for the mobile terminal, reading on the claimed "configuring the MCD for operation with the assigned MDN," (column 4 lines 32-35).

Consider claim 4, and as applied to claim 1 above, Howe further discloses the HLR searches its internal database for the VLR in contact with the mobile terminal, which then identifies the switch in communication with the mobile terminal that will connect the incoming call to the data unit associated with the mobile terminal, reading on the claimed "compiling a database defining geographic boundaries of a plurality of wireless rate centers', and selecting the wireless rate center of claim 1 from the database," (column 3 lines 37-39, column 4 lines 29-33, 65-67). The VLR, reading on the claimed "wireless rate center," stored in the database determines the serving switch which is the geographic location of the mobile terminal.

Consider claim 5, and as applied to claim 4 above, Howe further discloses that the network server chooses an appropriate data unit 70 from the pool that is local to the physical location of the mobile terminal, by using the NPA-NXX number format of the TLDN and comparing it with the phone number connection between the data unit and its connection to the PSTN/IXC, reading on the claimed "converting the base address to a geographic location and selecting the wireless rate center from those wireless rate centers in the database having

Application/Control Number: 10/801,309

Art Unit: 2617

geographic boundaries encompassing the geographic location of the base address," (column 4 lines 52-57).

Consider claim 7, and as applied to claim 1 above, Howe further discloses the HLR searches its internal database to determine the VLR last in contact with the mobile terminal, reading on the claimed "selecting the wireless rate center prior to contacting a wireless service provider," (column 3 lines 37-39). The HLR contacts the VLR and asks for the identity of the serving switch last in contact with the mobile terminal, reading on the claimed "transmitting a designation of the selected wireless rate center to a wireless service provider for assignment of the MDN by the wireless service provider," (column 3 lines 39-41). The HLR selects the VLR before contacting the VLR which functions as the current "service provider" of the mobile terminal.

Consider claim 8, and as applied to claim 7 above, Howe further discloses that the VLR allocates a TLDN from a pool of numbers whose geographic base is the serving switch in communication with the mobile terminal. The TLDN is returned to the HLR that forwards it to the network server, reading on the claimed "assigning the MDN and transmitting the assigned MDN to an entity other than the wireless service provider for configuring the MCD for operation with the assigned MDN," (column 4 lines 30-35).

Consider claim 9, and as applied to claim 7 above, Howe further discloses that the serving switch sending a routing request to the VLR which the associates the TLDN with the data unit 51 connected to the mobile terminal and

passes its mobile identification number (MIN) in response to the routing request from the HLR, reading on the claimed "transmitting a serial number of the MCD to the wireless service provider together with the designation of the selected wireless rate center," (column 4 lines 62-65).

Consider claim 10, and as applied to claim 9 above, Howe further discloses that in order to identify the mobile terminal, the server associates the identity of the mobile terminal with the MIN of the mobile data unit it is connected to. To establish a data connection between the land-based terminal and the mobile terminal, the server sends a location request to the HLR associated with the data unit, reading on the claimed "assigning the MDN and transmitting the serial number, together with the assigned MDN, to an entity other than the wireless service provider for configuring the MCN for operation with the assigned MDN," (column 4 lines 12-15 and 19-23).

Consider claim 11, Howe clearly shows and discloses a system for optimizing the routing of a call originated from a land-based terminal to a wireless mobile terminal, reading on the claimed "wireless mobile communication device," utilizing the interaction between a server controlled Internet protocol network and the HLR of the mobile terminal. In response to a call request by the server, the HLR identifies the VLR in contact with the mobile terminal and obtains a TLDN of the local serving switch in contact with a mobile data unit connected to the mobile terminal. The server uses the TLDN to reach a data unit on the network, which is used to place a local call over the PSTN to the serving switch, reading on the

claimed, "apparatus for assigning a mobile dialing number (MDN) to a wireless mobile communication device (MCD) for providing local call access to the MCD from a base address for the MCD," (abstract), the apparatus comprising:

the HLR searching its the internal database to determine the VLR last in contact with the mobile terminal, reading on the claimed "means for selecting a wireless rate center encompassing the base address and having an MDN providing local call access to the MCD from the base address for the MCD," (column 3 lines 37-39); and

the HLR sending a routing request to the VLR, and the VLR determining that a call is deliverable and allocating a TLDN from a pool of numbers whose geographic base is the serving switch in communication with the mobile terminal, reading on the claimed "means for assigning the MDN providing local calling access to the MCD from the base address for the MCD, in the selected wireless rate center encompassing the base address, to the MCD," (column 4 lines 28-33).

Consider claim 12, and as applied to claim 11 above, Howe further discloses the HLR searches its internal database for the VLR in contact with the mobile terminal, which then identifies the switch in communication with the mobile terminal that will connect the incoming call to the data unit associated with the mobile terminal, reading on the claimed "database defining geographic boundaries of a plurality of wireless rate centers, and means for selecting the wireless rate center of claim 11 from the database," (column 3 lines 37-39,

column 4 lines 29-33, 65-67). The VLR, reading on the claimed "wireless rate center," stored in the database determines the serving switch which is the geographic location of the mobile terminal.

Consider claim 13, and as applied to claim 12 above, Howe further discloses that the network server chooses an appropriate data unit from the pool that is local to the physical location of the mobile terminal, by using the NPA-NXX number format of the TLDN and comparing it with the phone number connection between the data unit and its connection to the PSTN/IXC, reading on the claimed "means for converting the base address to a geographic location and selecting the wireless rate center from those wireless rate centers in the database having geographic boundaries encompassing the geographic location of the base address," (column 4 lines 52-57).

Consider claim 14, and as applied to claim 11 above, Howe further discloses the HLR searches its internal database to determine the VLR last in contact with the mobile terminal, reading on the claimed "means for selecting the wireless rate center prior to contacting a wireless service provider," (column 3 lines 37-39). The HLR contacts the VLR and asks for the identity of the serving switch last in contact with the mobile terminal, reading on the claimed "means for transmitting a designation of the selected wireless rate center to a wireless service provider for assignment of the MDN by the wireless service provider," (column 3 lines 39-41). The HLR selects the VLR before contacting the VLR which functions as the current "service provider" of the mobile terminal.

Consider claim 15, and as applied to claim 11 above, Howe further discloses that the VLR allocates a TLDN from a pool of numbers whose geographic base is the serving switch in communication with the mobile terminal. The TLDN is returned to the HLR that forwards it to the network server, reading on the claimed "means for assigning the MDN and transmitting the assigned MDN to an entity other than the wireless service provider for configuring the MCD for operation with the assigned MDN," (column 4 lines 30-35).

Consider **claim 16**. Howe clearly shows and discloses a system for optimizing the routing of a call originated from a land-based terminal to a wireless mobile terminal, which may be a notebook computer, reading on the claimed "wireless mobile communication device," utilizing the interaction between a server controlled Internet protocol network and the HLR of the mobile terminal. In response to a call request by the server, the HLR identifies the visited location register VLR in contact with the mobile terminal and obtains a TLDN of the local serving switch in contact with a mobile data unit, which may be a modem, connected to the mobile terminal. The server uses the TLDN to reach a data unit on the network, which is used to place a local call over the PSTN to the serving switch, reading on the claimed, "computer readable medium storing a computer program for assigning a mobile dialing number (MDN) to a wireless mobile communication device (MCD) for providing local call access to the MCD from a base address for the MCD," (abstract, column 3 lines 27-28, column 4 lines 15-16), the computer program comprising:

searching the internal database of the HLR to determine the VLR last in contact with the mobile terminal, reading on the claimed "computer readable code for selecting a wireless rate center encompassing the base address and having an MDN providing local call access to the MCD from the base address for the MCD," (column 3 lines 37-39); and

sending a routing request from the HLR to the VLR, and the VLR determining that a call is deliverable and allocating a TLDN from a pool of numbers whose geographic base is the serving switch in communication with the mobile terminal, reading on the claimed "computer readable code for assigning the MDN providing local calling access to the MCD from the base address for the MCD, in the selected wireless rate center encompassing the base address, to the MCD," (column 4 lines 28-33).

Consider claim 17, and as applied to claim 16 above, Howe further discloses the HLR searches its internal database for the VLR in contact with the mobile terminal, which then identifies the switch in communication with the mobile terminal that will connect the incoming call to the data unit associated with the mobile terminal, reading on the claimed "computer readable code comprising a database defining geographic boundaries of a plurality of wireless rate centers, and computer readable code for selecting the wireless rate center of claim 16 from the database," (column 3 lines 37-39, column 4 lines 29-33, 65-67). The VLR, reading on the claimed "wireless rate center," stored in the database

determines the serving switch which is the geographic location of the mobile terminal.

Consider claim 18, and as applied to claim 17 above, Howe further discloses that the network server chooses an appropriate data unit from the pool that is local to the physical location of the mobile terminal, by using the NPA-NXX number format of the TLDN and comparing it with the phone number connection between the data unit and its connection to the PSTN/IXC, reading on the claimed "computer readable code for converting the base address to a geographic location and selecting the wireless rate center from those wireless rate centers in the database having geographic boundaries encompassing the geographic location of the base address," (column 4 lines 52-57).

Consider claim 19, and as applied to claim 18 above, Howe further discloses the HLR searches its internal database to determine the VLR last in contact with the mobile terminal, reading on the claimed "computer readable code for selecting the wireless rate center prior to contacting a wireless service provider," (column 3 lines 37-39). The HLR contacts the VLR and asks for the identity of the serving switch last in contact with the mobile terminal, reading on the claimed "computer readable code for transmitting a designation of the selected wireless rate center to a wireless service provider for assignment of the MDN by the wireless service provider," (column 3 lines 39-41). The HLR selects the VLR before contacting the VLR which functions as the current "service provider" of the mobile terminal.

Consider claim 20, and as applied to claim 19 above, Howe further discloses that the VLR allocates a TLDN from a pool of numbers whose geographic base is the serving switch in communication with the mobile terminal. The TLDN is returned to the HLR that forwards it to the network server, reading on the claimed "computer readable code for assigning the MDN and transmitting the assigned MDN to an entity other than the wireless service provider for configuring the MCD for operation with the assigned MDN," (column 4 lines 30-35).

Claim Rejections - 35 USC § 103

- 10. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 11. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

12. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Howe (U.S. Patent # 6,615,381 B1) in view of Gallant et al. (U.S. Patent # 5,802,468).

Consider claim 6, and as applied to claim 5, Howe clearly shows and discloses the claimed invention except that the geographic locations of the data units, HLR, VLR or mobile terminal are not disclosed in terms of latitude and longitude.

In the same field of endeavor, Gallant et al. clearly show and disclose a method for providing different levels of mobile communication service within a communication system service area. A first level of service is provided to a mobile station when it is inside the home calling area, reading on the claimed "local call access." A plurality of base transceiver stations (BTSs), each having a cellular service area for communication with a mobile station, are coupled to a common database that has a memory for storing data related to a home geographical location associated with a mobile station, reading on the claimed "MCD," (abstract). A home calling area is a geographical region that can be described in units if distance around a subscriber's home geographical location, reading on the claimed "geographic location of a base address." A local calling area covers an area larger than a home calling area which could be a predetermined geographic area having city or county lines as boundaries, reading on the claimed "geographic boundaries of the wireless rate centers," (column 7 lines 14-25). Each BTS sends out a broadcast message that includes grid coordinate information such as identifier fields defining the geographical

location of the BTS, for example, the latitude and longitude location of the BTS, reading on the claimed "defining the geographic boundaries of the wireless rate centers, and the geographic location of the base address in terms of latitude and longitude," (column 10 lines 12-15).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to include the latitude and longitude coordinates as taught by Gallant et al. in the system of Howe, in order to locate the switches and VLRs to make a local call from a land-based terminal to a wireless mobile terminal.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jaime M. Holliday whose telephone number is (571) 272-8618. The examiner can normally be reached on Monday through Friday 7:30am to 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Feild can be reached on (571) 272-4090. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/801,309

Art Unit: 2617

Page 17

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jaime Holliday

Patent Examiner

SUPERVISORY PATENT EXAMINED